


No.

8800134



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

FFR Cooperative
Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'FFR 565'



In Testimony Whereof, I have hereunto set
my hand and caused the seal of the Plant
Variety Protection Office to be affixed
at the City of Washington, D. C.
this 30th day of November in
the year of our Lord one thousand nine
hundred and eighty-eight.

Attest:

Kenneth H. Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Richard E. Lyng
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

FORM APPROVED: OMB NO. 0581-0055

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) FFR COOPERATIVE		2. TEMPORARY DESIGNATION E124		3. VARIETY NAME FFR 565	
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) 4112 East State Road 225 West Lafayette, IN 47906		5. PHONE (Include area code) 317/567-2115		FOR OFFICIAL USE ONLY VPPO NUMBER 8800134	
6. GENUS AND SPECIES NAME Glycine Max		7. FAMILY NAME (Botanical) Leguminosae		FILING DATE April 20, 1988 TIME 9:30 <input checked="" type="checkbox"/> A.M. <input type="checkbox"/> P.M.	
8. KIND NAME Soybeans		9. DATE OF DETERMINATION APRIL, 1984 <i>af/s</i>		FEES RECEIVED AMOUNT FOR FILING \$ 1800 ⁰⁰ DATE April 20, 1988 AMOUNT FOR CERTIFICATE \$ 200 ⁰⁰ DATE October 11, 1988	
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Corporation				12. DATE OF INCORPORATION	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Wisconsin					
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS John N. Rombach Route 1 Bells, TN 38006					

PHONE (Include area code): 901/668-2711

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED

a. ☒ Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)

b. ☒ Exhibit B, Novelty Statement.

c. ☒ Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.)

d. ☒ Exhibit D, Additional Description of Variety.

e. ☒ Exhibit E, Statement of the Basis of Applicant's Ownership.

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) ☐ Yes (If "Yes," answer items 16 and 17 below) ☒ No

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? ☐ Yes ☒ No

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? ☐ Foundation ☐ Registered ☐ Certified

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? ☐ Yes (If "Yes," give date) ☒ No

19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKED IN THE U.S. OR OTHER COUNTRIES? ☐ Yes (If "Yes," give names of countries and dates) ☒ No

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT

DATE

SIGNATURE OF APPLICANT

DATE

14A. Exhibit A
Origin and Breeding History of the Variety

Pedigree: Bedford/Bay

'FFR 565' was a single plant selection from a cross of 'Bedford' x 'Bay' in the F3 generation at Jackson, Tennessee in 1981. The earlier generations were developed using the pedigree selection method at Marshall, Missouri. The F3 plant selected was screened resistant for race 4 of the soybean cyst nematode in the greenhouse and transplanted to produce seed. Subsequent generations used the pedigree method and winter nurseries to produce F7 seed for testing in 1983.

'FFR 565' was first tested in replicated preliminary tests in 1983 at Jackson, Tennessee and Halls, Tennessee. It was then tested in a 5 location advanced test, and a preliminary seed increase was begun in 1984. In 1985, it was again tested in an elite test and further seed increases were made. Pre-breeder seed was grown in the winter of 1985-86 at Homestead, Florida. Breeder seed was then grown in 1986 at Halls, Tennessee.

'FFR 565' appears stable and uniform through 7 generations of selfing and during our seed increase program. Purple flower offtypes appeared approximately 1:10,000. The variety is essentially free of these contaminants at the present time.

14B. Exhibit B
Novelty Statement

'FFR 565' is most similar to 'Bedford'. 'FFR 565' differs from 'Bedford' in the following characteristics:

1. 'FFR 565' is approximately twelve (12) cm shorter than 'Bedford'.
2. 'FFR 565' matures 3 days earlier than 'Bedford'.
3. 'FFR 565' average lodging score is 1.9 compared to 2.7 for 'Bedford'.
4. 'FFR 565' has larger seed (14.8 g/100 seeds) than 'Bedford' (12.4 g/100 seeds).

Two Year Data From Alabama, Kentucky, Tennessee and Virginia

<u>Variety</u>	<u>Days to Maturity</u>	<u>Height</u> --cm--	<u>Lodging Score*</u>
FFR 565	158	84.3	1.9
Bedford	161	96.8	2.7

* 1-5, 1 = upright

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) FFR Cooperative	TEMPORARY DESIGNATION E124	VARIETY NAME FFR 565
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) 4112 East State Road 225 West Lafayette, IN 47906		FOR OFFICIAL USE ONLY PVPO NUMBER 8800134

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g.,). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)

3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)

4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow

2 = Green

3 = Brown

4 = Black

5 = Other (Specify) _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')

2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

★ 5. HILUM COLOR: (Mature Seed)

1 = Buff

2 = Yellow

3 = Brown

4 = Gray

5 = Imperfect Black

6 = Black

7 = Other (Specify) _____

★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow

2 = Green

★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low

2 = High

★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP1^a)

2 = Type B (SP1^b)

★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')

2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')

3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')

4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ 10. LEAFLET SHAPE:

1 = Lanceolate

2 = Oval

3 = Ovate

4 = Other (Specify) _____

11. LEAFLET SIZE:

☐ 21 = Small ('Amsoy 71'; 'A5312')
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

★ 13. FLOWER COLOR:

☐ 1

1 = White

2 = Purple

3 = White with purple throat

★ 14. POD COLOR:

☐ 1

1 = Tan

2 = Brown

3 = Black

★ 15. PLANT PUBESCENCE COLOR:

☐ 2

1 = Gray

2 = Brown (Tawny)

16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

★ 17. PLANT HABIT:

☐ 1

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

★ 18. MATURITY GROUP:

☐ 0 ☐ 81 = 000
9 = VI2 = 00
10 = VII3 = 0
11 = VIII4 = I
12 = IX5 = II
13 = X

6 = III

7 = IV

8 = V

★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 0Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojae*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0

Race 5

☐ 0

Other (Specify)

☐Target Spot (*Corynespora cassicola*)☐Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐Powdery Mildew (*Microspheera diffusa*)

★

☐ 0Brown Stem Rot (*Cephalosporium gregatum*)☐ 1Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

- ★ ☐ 0 Pod and Stem Blight (*Diaporthe phaseolorum* var; *sojae*)
- ☐ Purple Seed Stain (*Cercospora kikuchii*)
- ☐ Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ 1 Race 1 ☐ 1 Race 2 ☐ 1 Race 3 ☐ 1 Race 4 ☐ 1 Race 5 ☐ 1 Race 6 ☐ 1 Race 7
- ☐ 1 Race 8 ☐ 1 Race 9 ☐ Other (Specify) _____

VIRAL DISEASES:

- ☐ Bud Blight (Tobacco Ringspot Virus)
- ☐ Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 0 Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 2 Race 3 ☐ 2 Race 4 ☐ 1 Other (Specify) Race 5
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 1 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 1 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ OTHER DISEASE NOT ON FORM (Specify): _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 0 Iron Chlorosis on Calcareous Soil
- ☐ Other (Specify) _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ Other (Specify) _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.


CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	A5474	Seed Coat Luster	Bedford
Leaf Shape	Bay	Seed Size	A5474
Leaf Color	Bedford	Seed Shape	A5474
Leaf Size	Bedford	Seedling Pigmentation	Bedford

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
Submitted	158	1.9	84.3	7	11	39.2	20.8	14.8	2.2
Bedford Name of Similar Variety	161	2.7	96.8	6	12	38.6	19.5	12.4	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



14D. Exhibit D
Additional Description of Variety

'FFR 565' is a mid group V variety developed for soybean cyst nematode resistance. It has white flowers, brown pubescence, tan colored pods, yellow seed and a black hilum. 'FFR 565' has very good standability, emergence and tolerance to phytophthora root rot as well as its resistance to races 3 and 4 of soybean cyst nematode. This variety has excellent yield potential on both cyst and non-cyst infested fields.

8800134

14E. Exhibit E
Statement of the Basis of Applicant's Ownership

'FFR 565' was bred by a number of breeders employed by FFR Cooperative.